

AMEN CLINICS, INC. A MEDICAL CORPORATION

PATIENT INFORMATION

Please use **BLUE** or **BLACK** ink and write **LEGIBLY**.

Patient's Name: _____ SS# _____ - _____ - _____ Sex: Male Female

Date of Birth: _____ Age: _____ Marital Status: Single Married Separated Divorced Widowed

Race: _____ Religion: _____ Number of Children: _____

Home Address: _____

Home Phone: (_____) _____ Cell Phone: (_____) _____ Occupation: _____ Student

Employer (School, if student): _____ Work/School Phone: (_____) _____

Employer/School Address: _____

E-mail Address: _____ Fax Phone: (_____) _____

SPOUSE'S INFORMATION

Spouse's Name: _____ SS# _____ - _____ - _____ Date of Birth: _____ Age: _____

Spouse's Occupation/Employer: _____ Address: _____

RESPONSIBLE PARTY

Responsible Party: _____ SS# _____ - _____ - _____ Date of Birth: _____ Age: _____

Home Address: _____

Home Phone: (_____) _____ Occupation: _____

Employer: _____ Work Phone: (_____) _____

Employer Address: _____ Driver's License No.: _____

Marital Status: Single Married Separated Divorced Widowed

INSURANCE BILLING: Amen Clinics, Inc. (ACI) does not bill insurance. We will provide patients with receipts that may be submitted to insurance carriers for reimbursement. Patients/Responsible Parties are responsible for all charges whether or not they are covered by your insurance. **ACI is not a Medicare, Medicaid or Medi-Cal provider.**

PAYMENT POLICY: ACI requires payment for services at the time they are rendered. Payment may be made by personal check or credit card (American Express, MasterCard or Visa). Cash is NOT accepted. Since patients are expected to maintain a zero balance, our office does not send patients statements. Accounts need to stay current in order to maintain ongoing treatment. Unpaid accounts over 30 days old are routinely reviewed for submission to our collection agency.

FEES CHARGED: Charged appointments by ACI physician/therapists are scheduled for 20-25 minutes (fee: \$175) or 45-50 minutes (fee: \$350), depending upon the patient's issues. In addition, patients are charged for time spent with a physician on the telephone, time taken to write triplicate prescriptions outside of scheduled appointments, and time taken to write reports or correspondence on patient's behalf. In the event that your ACI clinician is required to write a legal report, be at a deposition, or testify in court, a different fee structure will apply.

APPOINTMENT CANCELLATION POLICY: ACI is committed to providing quality and timely service to our patients. Therefore, due to the complicated nature of scheduling several appointments and holding appointments to accommodate our patient's needs, the \$500.00 start-up fee is non-refundable. Changes or cancellations of full evaluation appointments must be made a minimum of 5 business days before the first scheduled appointment time in order to apply the \$500 deposit for rescheduled appointments. If cancellations are made less than 5 business days before the first scheduled appointment, the \$500 deposit will be forfeited to the clinic.

For on-going appointments with our physicians/therapists, ACI requires that cancellations for scheduled appointments be received 24 "business" hours in advance during regular office hours (Monday through Friday 8:00am to 5:00pm). **Unkept or late cancelled appointments will be charged** the full fee for the appointment. Insurance companies do not pay for unkept appointment fees and the patient/responsible party is held fully accountable for this charge.

REFUNDS:

- Approved refunds of credit card payments will be credited to the patients account within five (5) business days.
- Approved refunds of check payments will be refunded by check and mailed to the patient within ten (10) business days.

I HAVE READ AND UNDERSTAND THE ABOVE STATED POLICIES OF AMEN CLINICS, INC.

Patient's Name: _____ Patient's Signature: _____

Responsible Party's Signature: _____ Date: _____

Newport Beach Clinic: 4019 Westerly Place, Ste. 100, Newport Beach, CA 92660 (949) 266-3700 FAX: (949) 266-3750
Brisbane Clinic: 1000 Marina Boulevard Suite 100, Brisbane, CA 94005 (650) 416-7830 FAX: (650) 871-8874
Northwest Clinic: 616 120th Ave NE, Suite C100, Bellevue, WA 98005 (425) 455-7500 FAX: (425) 454-7845
Washington DC Clinic: 1875 Campus Commons Drive, Suite 101, Reston, VA 20191 (703) 880-4000 FAX: (703) 860-5760

MEDICATION REFERENCE LIST

ADD Medications

Adderall / Adderall XR <i>4 amphetamine salts</i>	Concerta <i>methylphenidate</i>	Cylert <i>pemoline</i>	Daytrana <i>methylphenidate transdermal</i>
Desoxyn <i>methamphetamine HCL</i>	Dexedrine <i>dextroamphetamine</i>	Dexedrine Spansules <i>dextroamphetamine</i>	Dextrostat <i>dextroamphetamine</i>
Focalin <i>dexmethylphenidate</i>	Focalin XR <i>dexmethylphenidate hydrochloride</i>	Intuniv <i>guanfacine</i>	Metadate <i>methylphenidate</i>
Metadate CR <i>methylphenidate hydrochloride</i>	Methylin <i>methylphenidate</i>	Provigil <i>modafinil</i>	Ritalin <i>methylphenidate</i>
Ritalin LA <i>methylphenidate</i>	Ritalin SR <i>methylphenidate</i>	Strattera <i>atomoxetine</i>	Vyvanse <i>lisdexamfetamine</i>

Antidepressants

Anafranil <i>clomipramine hcl</i>	Asendin <i>amoxapine</i>	Celexa <i>citalopram</i>	Cymbalta <i>duloxetine HCl</i>
Desyrel <i>trazodone</i>	Effexor/Effexor XR <i>venlafaxine</i>	Elavil <i>amitriptyline</i>	Eldepryl <i>selegiline HCl</i>
EMSAM <i>selegiline transdermal system</i>	Lexapro <i>escitalopram</i>	Ludiomil <i>maprotiline</i>	Luvox <i>fluvoxamine</i>
Marplan <i>isocarboxazid</i>	Nardil <i>phenelzine</i>	Norpramin <i>desipramine</i>	Pamelor <i>nortriptyline</i>
Parnate <i>tranylcypromine</i>	Paxil/Paxil CR <i>paroxetine</i>	Pristiq <i>desvenlafaxine extended release</i>	Prozac <i>fluoxetine</i>
Remeron <i>mirtazapine</i>	Serzone <i>nefazodone</i>	Sinequan <i>doxepin</i>	Surmontil <i>trimipramine</i>
Tofranil <i>imipramine</i>	Vivactil <i>protriptyline</i>	Wellbutrin/Wellbutrin SR or XL <i>bupropion</i>	Zoloft <i>sertaline</i>

Anti-Anxiety Medications

Ativan <i>lorazepam</i>	BuSpar <i>bupirone</i>	Klonopin <i>clonazepam</i>	Librium <i>chlordiazepoxide</i>
Serax <i>oxazepam</i>	Tranxene <i>clorazepate</i>	Valium <i>diazepam</i>	Visatril <i>hydroxyzine</i>
Xanax <i>alprazolam</i>			

Mood Stabilizers

Depakene <i>valproic acid</i>	Depakote <i>divalproex</i>	Dilantin <i>phenytoin</i>	Donnatal <i>phenobarbital</i>
Gabitril <i>tigabine</i>	Keppra <i>levetiracetam</i>	Lamictal <i>lamotrigine</i>	Lithium/Eskalith <i>lithium carbonate</i>
Lyrica <i>pregablin</i>	Neurontin <i>gabapentin</i>	Tegretol/Carbatrol Tegretol XR <i>carbamazepine</i>	Trileptal <i>oxcarbazepine</i>
Topamax <i>topiramate</i>	Zonegran <i>zonisamide</i>		

Anti-Tic Hypertensive Medications

Catapres <i>clonidine</i>	Inderal <i>propranolol</i>	Tenex <i>guanfacine</i>	
------------------------------	-------------------------------	----------------------------	--

Anti-Psychotic Medications

Abilify <i>aripiprazole</i>	Clozaril <i>clozapine</i>	Geodon <i>ziprasidone HCl</i>	Haldol <i>haloperidol</i>
Invega <i>paliperidone</i>	Loxitane <i>loxapine</i>	Mellaril <i>molindone</i>	Moban <i>molindone</i>
Navane <i>thiothixene</i>	Orap <i>pimozide</i>	Prolixin <i>fluphenazine</i>	Risperdal <i>risperidone</i>
Serentil <i>mesoridazine</i>	Seroquel <i>quetiapine</i>	Stelazine <i>trifluoperazine</i>	Symbyax <i>olanzapine/fluoxetine HCl</i>
Thorazine <i>chlorpromazine</i>	Trilafon <i>perphenazine</i>	Zydis <i>olanzapine</i>	Zyprexa <i>olanzapine</i>

Movement Disorders

Artane <i>trihexyphenidyl</i>	Benadryl <i>diphenhydramine</i>	Cogentin <i>benztropine</i>	Symmetrel <i>amantadine</i>
----------------------------------	------------------------------------	--------------------------------	--------------------------------

Memory / Alzheimer's Medications

Aricept <i>donepezil HCl</i>	Exelon <i>revastigmine tartrate</i>	Namenda <i>memantine</i>	Reminyl - now Razadyne ER <i>galantamine HBR</i>
---------------------------------	--	-----------------------------	---

Sleep Aid

Ambien/Ambien CR <i>zolpidem tartrate</i>	Dalmane <i>flurazepam</i>	Desyrel <i>trazodone</i>	Doral <i>quazepam tablets</i>
Halcion <i>triazolam</i>	Lunesta <i>zopiclone</i>	ProSom <i>estazolam</i>	Restoril <i>temazepam</i>
Rohypnol <i>flunitrazepam</i>	Rozerem <i>ramelteon</i>	Sonata <i>zaleplon</i>	

Weight Loss

Fenfluramine <i>fenfluramine hydrochloride</i>	Meridia <i>sibutramine hydrochloride monohydrate</i>	Phentermine <i>phenethylamine</i>	
---	---	--------------------------------------	--

Sexual Dysfunction

Cialis <i>tadalafil</i>	Levitra <i>Cardenafil HCl</i>	Viagra <i>sildenafil citrate</i>	
----------------------------	----------------------------------	-------------------------------------	--

Migraine Medications

Amerge <i>naratriptan</i>	Axert <i>almotriptan malate</i>	Esgic plus <i>butalbital / acetaminophen</i>	Fioricet <i>butalbital / acetaminophen</i>
Fiorinal <i>aspirin / butalbital / caffeine</i>	Frova <i>frovatriptan succinate</i>	Imitrex <i>sumatriptan succinate</i>	Maxalt <i>rizatriptan benzoate</i>
Replax <i>eletriptan hydrobromide</i>	Zomig <i>zolmitriptan</i>		

Pain Medications

Avinza <i>morphine sulfate extended release</i>	Darvocet <i>propoxyphene</i>	Darvon <i>propoxyphene</i>	Fentanyl <i>fentanyl citrate</i>
Kadian <i>morphine sulfate extended release</i>	Oxycontin <i>oxycodone</i>	Percocet <i>oxycodone HCl/APAP CII</i>	Percodan <i>aspirin / hydrocodone</i>
Roxanol <i>morphine sulfate</i>	Vicodin <i>hydrocodone</i>		

PRIOR ATTEMPTS TO CORRECT PROBLEMS/PRIOR PSYCHIATRIC HISTORY

Please indicate if you have attempted the following treatment and how many providers you've seen:

- Psychiatrist: _____
- Neurologist: _____
- Cardiologist: _____
- Alternative/Holistic/Naturopathic (include type): _____
- Therapy (include type and duration): _____
- Psychiatric Inpatient Hospitalization (if multiple attempts include overall duration): _____
- Outpatient Treatment Program (if multiple attempts indicate overall duration): _____
- Other: _____

Please list any prior diagnoses: _____

MEDICAL HISTORY

Current medical problems: _____

Current supplements/vitamins/herbs: _____

Past medical problems: _____

Past supplements/vitamins/herbs: _____

Name of Primary Care Physician: _____

Other doctors/clinics seen currently: _____

Prior hospitalizations: _____

Allergies/drug intolerances (describe): _____

Date of last physical exam: _____

Present Height _____ Present Weight _____ Present Waist Size _____

Date started last menstrual period: _____

Please indicate if you have a history of the following:

- Seizure or seizure like activity
- Periods of spaciness or confusion
- Concussion
- Whiplash
- Loss of consciousness (describe): _____
- Head trauma (describe, list date or approximate age): _____
- Stitches on face or head (describe): _____

Please indicate if you have a history of the following tests or examinations (list date and describe abnormalities):

Test/Examination	Date	Abnormality
<input type="checkbox"/> Blood work	_____	_____
<input type="checkbox"/> EKG	_____	_____
<input type="checkbox"/> EEG	_____	_____
<input type="checkbox"/> CT scan	_____	_____
<input type="checkbox"/> PET scan	_____	_____
<input type="checkbox"/> MRI/fMRI	_____	_____
<input type="checkbox"/> SPECT	_____	_____
<input type="checkbox"/> Quantitative EEG	_____	_____
<input type="checkbox"/> Echocardiogram	_____	_____
<input type="checkbox"/> Holter Monitor	_____	_____

Test/Examination	Date	Abnormality
<input type="checkbox"/> Carotid Ultrasound	_____	_____
<input type="checkbox"/> Other: _____	_____	_____

CURRENT LIFE STRESSES (include anything that is currently stressful for you, examples include relationships, job, school, finances, children): _____

Prenatal and birth events:

Your parents' attitudes toward their pregnancy with you: _____
 Pregnancy complications (bleeding, excess vomiting, medication, infections, x-rays, smoking, alcohol/drug use, etc.) _____
 Any birth problems, trauma, forceps or complications? _____

Diet/Exercise History:

Would you consider your diet mostly healthy or unhealthy? _____
 Any food allergies/sensitivities? Yes No ___ If yes, please list: _____
 Are you currently on a restricted diet (i.e. vegetarian, high protein only, etc)?
 Yes No ___ If yes, please list restrictions: _____
 Any experience with a gluten free diet? Yes No ___ If yes, please list results: _____
 Any experience with a casein free diet? Yes No ___ If yes, please list results: _____
 Caffeine consumption per day (i.e. coffee, soda, tea, chocolate): _____
 How many days a week do you eat fruits? _____ vegetables? _____ breakfast? _____
 Describe your current bowel function: _____
 Describe your current exercise regimen: _____

If you are seeking treatment for weight related issues, please complete the following:

How many times a day do you eat? _____
 What is your typical eating schedule? _____
 Do you drink 8 glasses of water per day? Yes No
 Would you consider yourself to be over or underweight? _____
 What is your ideal weight? _____ What is your BMI? _____
 How long have you struggled with weight issues? _____
 What weight loss measures have you tried? _____

Sleep Behavior:

Any problems falling asleep? _____
 Any problems staying asleep? _____
 Any problems waking up? _____
 On average, how many hours do you sleep per night? _____
 Any history of sleepwalking, recurrent dreams, sleep apnea, heavy snoring, or sleep bruxism (grinding your teeth)? _____

School History: Highest Level of Education _____ Last school attended _____
 Average grades received _____ Learning strengths _____
 Specific learning disabilities _____
 Any behavioral problems in school? _____
 What have teachers said about you? _____

Employment History: (summarize jobs you've had, list most favorite and least favorite)

Any work-related problems? _____
What would your employers or supervisors say about you? _____

Military History? _____

Ever Any Legal Problems? (including traffic violations) _____

Alcohol and Drug History:

Do you or have you ever experienced withdrawal symptoms from alcohol or drugs? _____
Has anyone told you they thought you had a problem with drugs or alcohol? _____
Have you ever felt guilty about your drug or alcohol use? _____
Have you ever felt annoyed when someone talked to you about your drug or alcohol use? _____
Have you ever used drugs or alcohol first thing in the morning? _____
If you have used or experimented with any of the following, please list the age started and describe how each substance made you feel (i.e. benefits, side effects, or changes to mood).

(C= Current, P= Past)

- | C | P | |
|--------------------------|--------------------------|---|
| <input type="checkbox"/> | <input type="checkbox"/> | Alcohol (hard liquor, beer, wine) _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | Nicotine (cigarettes, cigars, tobacco chew); indicate use per day (past and present): _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | Marijuana or hash _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | Inhalants (glue, gasoline, cleaning fluids, etc) _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | Cocaine or crack _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | Amphetamines _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | Crank or ice _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | Steroids _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | Opiates (heroin, oxycodone, morphine or other pain killers) _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | Barbiturates _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | Hallucinogens (LSD, mescaline, mushrooms, ecstasy) _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | Prescription tranquilizers or sleeping pills _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | Other: _____ |

Sexual history: (answer only as much as you feel comfortable)

Age at the time of first sexual experience: _____ Number of sexual partners: _____
Any history of a sexually transmitted disease? _____ History of abortion? _____
Current sexual problems? _____

Any history of being physically, emotionally, or sexually abused? _____

FAMILY HISTORY

Family Structure (who lives in your current household, please list relationship to each):

Current Marital or Relationship Satisfaction _____

History of Past Marriages _____

Significant Developmental Events (include marriages, separations, divorces, deaths, traumatic events, losses, abuse, etc.) _____

Biological Mother's History: Living; Age ____ Deceased; Age ____ Cause of death _____
Marriages _____ Highest Level of Education: _____ Occupation: _____
Learning problems _____ Behavioral/Emotional problems _____
Medical Problems (include heart problems, sudden death, congenital disorders) _____

Has mother ever sought psychiatric treatment? Yes No ___ If yes, for what purpose? _____

Patient's mother's alcohol/drug use history _____

Have any of your mother's blood relatives ever had any learning problems or psychiatric problems including such things as alcohol/drug abuse, depression, anxiety, suicide attempts, or psychiatric hospitalizations?
(specify) _____

Biological Father's History: Living; Age ____ Deceased; Age ____ Cause of death _____
Marriages _____ Highest Level of Education: _____ Occupation: _____
Learning problems _____ Behavior problems _____
Medical Problems (include heart problems, sudden death, congenital disorders) _____

Has father ever sought psychiatric treatment? Yes No ___ If yes, for what purpose? _____

Patient's father's alcohol/drug use history _____

Have any of your father's blood relatives ever had any learning problems or psychiatric problems including such things as alcohol/drug abuse, depression, anxiety, suicide attempts, or psychiatric hospitalizations?
(specify) _____

Patient's siblings (names, ages, problems, strengths, relationship to patient) _____

Patient's children (names, ages, problems, strengths) _____

Cultural/Ethnic Background _____

Describe yourself _____

Describe your strengths _____

Describe your relationships with friends _____

Amen Adult General Symptom Checklist

Copyright Daniel G. Amen, MD

Please rate yourself on each of the symptoms listed below using the following scale. If possible, to give us the most complete picture, have another person who knows you well (such as a spouse, partner or parent) rate you as well. List the other person _____

0	1	2	3	4	NA
Never	Rarely	Occasionally	Frequently	Very Frequently	Not Applicable

Other Self

- ___ ___ 1. Feeling depressed or being in a sad mood
- ___ ___ 2. Having a decreased interest in things that are usually fun, including sex
- ___ ___ 3. Experiencing a significant change in weight or appetite, increased or decreased
- ___ ___ 4. Having recurrent thoughts of death or suicide
- ___ ___ 5. Experiencing sleep changes, such as a lack of sleep or a marked increase in sleep
- ___ ___ 6. Feeling physically agitated or of being "slowed down"
- ___ ___ 7. Having feelings of low energy or tiredness
- ___ ___ 8. Having feelings of worthlessness, helplessness, hopelessness or guilt
- ___ ___ 9. Experiencing decreased concentration or memory
- ___ ___ 10. Having periods of an elevated, high or irritable mood
- ___ ___ 11. Having periods of a very high self-esteem or grandiose thinking
- ___ ___ 12. Having periods of decreased need for sleep without feeling tired
- ___ ___ 13. Being more talkative than usual or feeling pressure to keep talking
- ___ ___ 14. Having racing thoughts or frequently jumping from one subject to another
- ___ ___ 15. Being easily distracted by irrelevant things
- ___ ___ 16. Having a marked increase in activity level
- ___ ___ 17. Excessive involvement in pleasurable activities that have the potential for painful consequences (e.g., spending money, sexual indiscretions, gambling, foolish business ventures)
- ___ ___ 18. Experiencing panic attacks, which are periods of intense, unexpected fear or emotional discomfort (list number per month ___)
- ___ ___ 19. Having periods of trouble breathing or feeling smothered
- ___ ___ 20. Having periods of feeling dizzy, faint or unsteady on your feet
- ___ ___ 21. Having periods of heart pounding or rapid heart rate
- ___ ___ 22. Having periods of trembling or shaking
- ___ ___ 23. Having periods of sweating
- ___ ___ 24. Having periods of choking
- ___ ___ 25. Having periods of nausea or abdominal discomfort/trouble
- ___ ___ 26. Having feelings of a situation "not being real"
- ___ ___ 27. Experiencing numbness or tingling sensations
- ___ ___ 28. Experiencing hot or cold flashes
- ___ ___ 29. Having periods of chest pain or discomfort
- ___ ___ 30. Fearing death
- ___ ___ 31. Fearing going crazy or doing something out-of-control
- ___ ___ 32. Avoiding everyday places for 1) fear of having a panic attack or 2) needing to go with other people in order to feel comfortable
- ___ ___ 33. Excessive fear of being judged by others, which causes you to avoid or get anxious in situations
- ___ ___ 34. Experiencing persistent, excessive phobia (heights, closed spaces, specific animals, etc.) please list

- ___ 35. Having recurrent bothersome thoughts, ideas, or images that you try to ignore
- ___ 36. Having trouble getting "stuck" on certain thoughts, or having the same thought over and over
- ___ 37. Experiencing excessive or senseless worrying
- ___ 38. Others complaining that you worry too much or get "stuck" on the same thoughts
- ___ 39. Having compulsive behaviors that you must do or else you feel very anxious, such as excessive hand washing, checking locks, or counting or spelling
- ___ 40. Needing to have things done a certain way or else you become very upset
- ___ 41. Others complaining that you do the same thing over and over to an excessive degree (such as cleaning or checking)
- ___ 42. Experiencing recurrent and upsetting thoughts of a past traumatic event (molestation, accident, fire, etc.), please list _____
- ___ 43. Experiencing recurrent distressing dreams of a past upsetting event
- ___ 44. Having a sense of reliving a past upsetting event
- ___ 45. Having a sense of panic or fear of events that resemble an upsetting past event
- ___ 46. Spending effort avoiding thoughts or feelings associated with a past trauma
- ___ 47. Regularly avoiding activities/situations which cause remembrance of an upsetting event
- ___ 48. Being unable to recall an important aspect of a past upsetting event
- ___ 49. Having a marked decreased interest in important activities
- ___ 50. Feeling detached or distant from others
- ___ 51. Feeling numb or restricted in your feelings
- ___ 52. Feeling that your future is shortened
- ___ 53. Being quick to startle
- ___ 54. Feeling like you're always watching for bad things to happen
- ___ 55. Experiencing a marked physical response to events that remind you of a past upsetting event (e.g., sweating, increased pulse, etc.) when getting in a car if you had been in a car accident
- ___ 56. Being markedly more irritable or experiencing anger outbursts
- ___ 57. Having unrealistic or excessive worry in at least a couple areas of your life
- ___ 58. Trembling, twitching, or feeling shaky
- ___ 59. Experiencing muscle tension, aches, or soreness
- ___ 60. Having feelings of restlessness
- ___ 61. Becoming easily fatigued
- ___ 62. Experiencing shortness of breath or feeling smothered
- ___ 63. Experiencing a pounding or racing heartbeat
- ___ 64. Sweating or having cold, clammy hands
- ___ 65. Experiencing dry mouth
- ___ 66. Experiencing dizziness or lightheadedness
- ___ 67. Having nausea, diarrhea or other abdominal distress
- ___ 68. Having hot or cold flashes
- ___ 69. Having to urinate frequently
- ___ 70. Having trouble swallowing or feeling a "lump in your throat"
- ___ 71. Feeling keyed up or on edge
- ___ 72. Being quick to startle or feeling jumpy
- ___ 73. Finding it difficult to concentrate, or having your "mind go blank"
- ___ 74. Having trouble falling or staying asleep
- ___ 75. Experiencing irritability
- ___ 76. Having trouble sustaining attention or being easily distracted
- ___ 77. Experiencing difficulty completing projects
- ___ 78. Feeling overwhelmed by the tasks of everyday living
- ___ 79. Having trouble maintaining an organized work or living area
- ___ 80. Being inconsistent in work performance

- ___ 81. Lacking in attention to detail
- ___ 82. Making decisions impulsively
- ___ 83. Having difficulty delaying what you want, having to have your needs met immediately
- ___ 84. Feeling restless and/or fidgety
- ___ 85. Making comments to others without considering their impact
- ___ 86. Being impatient and/or easily frustrated
- ___ 87. Experiencing frequent traffic violations or near accidents
- ___ 88. Refusing to maintain body weight above a level that most people consider healthy
- ___ 89. Intensely fearing gaining weight or becoming fat even though underweight
- ___ 90. Having feelings of being fat, even though you're underweight
- ___ 91. Experiencing recurrent episodes of binge eating large amounts of food
- ___ 92. Feeling of lack of control over eating behavior
- ___ 93. Engaging in regular activities to purge binges, such as self-induced vomiting, laxatives, diuretics, strict dieting, or strenuous exercise
- ___ 94. Being overly concerned with body shape and/or weight
- ___ 95a. Experiencing involuntary physical movements and/or motor tics (such as eye blinking, shoulder shrugging, head jerking or picking). How long have tics been present? _____ How often? _____
Please describe _____
- ___ 95b. Experiencing involuntary vocal sounds or verbal tics (such as coughing, puffing, blowing, whistling, or swearing).
How long have tics been present? _____ How often? _____
Please describe: _____
- ___ 96. Having delusional or bizarre thoughts (thoughts you know others would think are false)
- ___ 97. Seeing objects, shadows or movements that are not real
- ___ 98. Hearing voices or sounds that are not real
- ___ 99. Experiencing periods of time where your thoughts or speech were disjointed or didn't make sense to you or others
- ___ 100. Feeling socially isolated or withdrawn
- ___ 101. Having a severely impaired ability to function at home or at work
- ___ 102. Behaving peculiarly
- ___ 103. Lacking personal hygiene or grooming
- ___ 104. Being in an inappropriate mood for a given situation (e.g., laughing at sad events)
- ___ 105. Having a marked lack of initiative
- ___ 106. Having frequent feelings that someone or something is out to hurt you or discredit you
- ___ 107. Snoring loudly (or others complaining about your snoring)
- ___ 108. Others saying that you stop breathing when you sleep
- ___ 109. Feeling fatigued or tired during the day
- ___ 110. Often feeling cold when others feel fine or they are warm
- ___ 111. Often feeling warm when others feel fine or they are cold
- ___ 112. Having problems with brittle or dry hair
- ___ 113. Having problems with dry skin
- ___ 114. Having problems with sweating
- ___ 115. Having problems with chronic anxiety or tension
- ___ 116. Having impairment in communication as manifested by at least one of the following (please circle all that apply):
- A delay in or total lack of the development of spoken language (not accompanied by an attempt to compensate);
 - In individuals with adequate speech, having a marked impairment in the ability to initiate or sustain a conversation with others;

- The repetitive use of language, or the use of odd language;
- A lack of varied, spontaneous make-believe play or social imitative play appropriate to developmental level.

_____ 117. Having an impairment in social interaction, with at least two of the following (please circle all that apply):

- A marked impairment in the use of multiple nonverbal behaviors such as eye-to-eye gaze, facial expression, body postures, and gestures to regulate social interaction;
- A failure to develop peer relationships appropriate to developmental level;
- A lack of spontaneously seeking to share enjoyment, interests, or achievements with other people (e.g., by a lack of showing, bringing, or pointing out objects of interest);
- A lack of social or emotional reciprocity.

_____ 118. Having repetitive patterns of behavior, interests, and activities, as manifested by at least one of the following (please circle all that apply):

- A preoccupation with an area that is abnormal either in intensity or focus;
- A rigid adherence to specific, nonfunctional routines or rituals;
- Repetitive motor mannerisms (e.g., hand or finger flapping or twisting, or complex whole-body movements);
- A persistent preoccupation with parts of objects.

Amen Brain System Checklist

Copyright Daniel G. Amen, MD

Please rate yourself on each of the symptoms listed below using the following scale. If possible, to give us the most complete picture, have another person who knows you well (such as a spouse, partner or parent) rate you as well. List other _____

0 1 2 3 4 NA
Never Rarely Occasionally Frequently Very Frequently Not Applicable

Other Self

- ___ ___ 1. Failing to give close attention to details or making careless mistakes
- ___ ___ 2. Having trouble sustaining attention in routine situations (e.g., homework, chores, paperwork)
- ___ ___ 3. Having trouble listening
- ___ ___ 4. Failing to finish things
- ___ ___ 5. Having poor organization for time or space (such as a backpack, room, desk, paperwork)
- ___ ___ 6. Avoiding, disliking, or being reluctant to engage in tasks that require sustained mental effort
- ___ ___ 7. Losing things
- ___ ___ 8. Being easily distracted
- ___ ___ 9. Being forgetful
- ___ ___ 10. Having poor planning skills
- ___ ___ 11. Lacking clear goals or forward thinking
- ___ ___ 12. Having difficulty expressing feelings
- ___ ___ 13. Having difficulty expressing empathy for others
- ___ ___ 14. Experiencing excessive daydreaming
- ___ ___ 15. Feeling bored
- ___ ___ 16. Feeling apathetic or unmotivated
- ___ ___ 17. Feeling tired, sluggish or slow moving
- ___ ___ 18. Feeling spacey or "in a fog"
- ___ ___ 19. Feeling fidgety, restless or trouble sitting still
- ___ ___ 20. Having difficulty remaining seated in situations where remaining seated is expected
- ___ ___ 21. Running about or climbing excessively in situations in which it is inappropriate
- ___ ___ 22. Having difficulty playing quietly
- ___ ___ 23. Being always "on the go" or acting as if "driven by a motor"
- ___ ___ 24. Talking excessively
- ___ ___ 25. Blurting out answers before questions have been completed
- ___ ___ 26. Having difficulty waiting.
- ___ ___ 27. Interrupting or intruding on others (e.g., butting into conversations or games)
- ___ ___ 28. Behaving impulsively (saying or doing things without thinking first)
- ___ ___ 29. Worrying excessively or senselessly
- ___ ___ 30. Getting upset when things do not go your way
- ___ ___ 31. Getting upset when things are out of place
- ___ ___ 32. Tending to be oppositional or argumentative
- ___ ___ 33. Tending to have repetitive negative thoughts
- ___ ___ 34. Tending toward compulsive behaviors (i.e., things you feel you *must* do)
- ___ ___ 35. Intensely disliking change
- ___ ___ 36. Tending to hold grudges
- ___ ___ 37. Having trouble shifting attention from subject to subject
- ___ ___ 38. Having trouble shifting behavior from task to task
- ___ ___ 39. Having difficulties seeing options in situations

- ___ 40. Tending to hold on to own opinion and not listen to others
- ___ 41. Tending to get locked into a course of action, whether or not it is good
- ___ 42. Needing to have things done a certain way or else becoming very upset
- ___ 43. Others complaining that you worry too much
- ___ 44. Tending to say no without first thinking about the question
- ___ 45. Tending to predict fear
- ___ 46. Experiencing frequent feelings of sadness
- ___ 47. Having feelings of moodiness
- ___ 48. Having feelings of negativity
- ___ 49. Having low energy
- ___ 50. Being irritable
- ___ 51. Having a decreased interest in other people
- ___ 52. Having a decreased interest in things that are usually fun or pleasurable
- ___ 53. Having feelings of hopelessness about the future
- ___ 54. Having feelings of helplessness or powerlessness
- ___ 55. Feeling dissatisfied or bored
- ___ 56. Feeling excessive guilt
- ___ 57. Having suicidal feelings
- ___ 58. Having crying spells
- ___ 59. Having lowered interest in things that are usually considered fun
- ___ 60. Experiencing sleep changes (too much or too little)
- ___ 61. Experiencing appetite changes (too much or too little)
- ___ 62. Having chronic low self-esteem
- ___ 63. Having a negative sensitivity to smells/odors
- ___ 64. Frequently feeling nervous or anxious
- ___ 65. Experiencing panic attacks
- ___ 66. Symptoms of heightened muscle tension (such as headaches, sore muscles, hand tremors, etc.)
- ___ 67. Experiencing periods of a pounding heart, a rapid heart rate, or chest pain
- ___ 68. Experiencing periods of troubled breathing or feeling smothered
- ___ 69. Experiencing periods of dizziness, faintness, or feeling unsteady on your feet
- ___ 70. Feeling nausea or having an upset stomach
- ___ 71. Experiencing periods of sweating, hot flashes, or cold flashes
- ___ 72. Tending to predict the worst
- ___ 73. Having a fear of dying or doing something crazy
- ___ 74. Avoiding places for fear of having an anxiety attack
- ___ 75. Avoiding conflict
- ___ 76. Excessively fearing being judged or scrutinized by others
- ___ 77. Having persistent phobias
- ___ 78. Having low motivation
- ___ 79. Having excessive motivation
- ___ 80. Experiencing tics (either motor or vocal)
- ___ 81. Having poor handwriting
- ___ 82. Being quick to startle
- ___ 83. Having a tendency to freeze in anxiety-provoking situations
- ___ 84. Lacking confidence in own abilities
- ___ 85. Feeling shy or timid
- ___ 86. Being easily embarrassed
- ___ 87. Being sensitive to criticism
- ___ 88. Biting fingernails or picking at skin
- ___ 89. Having a short fuse or experiencing periods of extreme irritability

- ___ ___ 90. Having periods of rage with little provocation
- ___ ___ 91. Often misinterpreting comments as negative when they are not
- ___ ___ 92. Finding that own irritability tends to build, then explodes, then recedes, often being tired after a rage
- ___ ___ 93. Having periods of spaciness and/or confusion
- ___ ___ 94. Experiencing periods of panic and/or fear for no specific reason
- ___ ___ 95. Experiencing visual and/or auditory changes, such as seeing shadows or hearing muffled sounds
- ___ ___ 96. Having frequent periods of *deja vu* (that is, feelings of being somewhere you have never been)
- ___ ___ 97. Being sensitive or mildly paranoid
- ___ ___ 98. Experiencing headaches or abdominal pain of uncertain origin
- ___ ___ 99. Having a history of a head injury or family history of violence or explosiveness
- ___ ___ 100. Having dark thoughts, ones that may involve suicidal or homicidal thoughts
- ___ ___ 101. Experiencing periods of forgetfulness or memory problems

Amen Learning Disability Screening Questionnaire

Copyright Daniel G. Amen, MD

Please rate yourself on each of the symptoms listed below using the following scale. If possible, to give us the most complete picture, have another person (such as a spouse, partner or parent) rate you as well. List the other person _____

0 1 2 3 4 NA
Never Rarely Occasionally Frequently Very Frequently Not Applicable

Other Self

Reading

- ____ 1. I am a poor reader.
____ 2. I do not like reading.
____ 3. I make mistakes when reading, such as skipping words or lines.
____ 4. I read the same line twice.
____ 5. I have problems remembering what I read even though I have read all the words.
____ 6. I reverse letters when I read (such as b/d, p/q).
____ 7. I switch letters in words when reading (such as god and dog).
____ 8. My eyes hurt or water when I read.
____ 9. Words tend to blur when I read.
____ 10. Words tend to move around the page when I read.
____ 11. When reading I have difficulty understanding the main idea or identifying important details.

Writing

- ____ 12. I have "messy" handwriting.
____ 13. My work tends to be messy.
____ 14. I prefer to print rather than to write in cursive.
____ 15. My letters run into each other or there is no space between words.
____ 16. I have trouble staying within lines.
____ 17. I have problems with grammar or punctuation.
____ 18. I am a poor speller.
____ 19. I have trouble copying off the board or from a page in a book.
____ 20. I have trouble getting thoughts from my brain to the paper.
____ 21. I can tell a story but cannot write it.

Body Awareness/ Spatial Relationships

- ____ 22. I have trouble with knowing my left from my right.
____ 23. I have trouble keeping things within columns or coloring within lines.
____ 24. I tend to be clumsy, uncoordinated.
____ 25. I have difficulty with eye/hand coordination.
____ 26. I have difficulty with concepts such as up, down, over, or under.
____ 27. I tend to bump into things when walking.

Oral Expressive language

- ____ 28. I have difficulty expressing myself in words.
____ 29. I have trouble finding the right word to say in conversations.
____ 30. I have trouble talking around a subject or getting to the point in conversations.

Receptive language

- ____ 31. I have trouble keeping up or understanding what is being said in conversations.
____ 32. I tend to misunderstand people and give the wrong answers in conversations.
____ 33. I have trouble understanding directions people tell me.
____ 34. I have trouble telling the direction sound is coming from.
____ 35. I have trouble filtering out background noises.

Math

- ____ 36. I am poor at basic math skills for my age (adding, subtracting, multiplying, and dividing)
____ 37. I make "careless mistakes" in math.

- ___ ___ 38. I tend to switch numbers around.
___ ___ 39. I have difficulty with word problems.

Sequencing

- ___ ___ 40. I have trouble getting everything in the right order when I speak.
___ ___ 41. I have trouble telling time.
___ ___ 42. I have trouble using the alphabet in order.
___ ___ 43. I have trouble saying the months of the year in order.

Abstraction

- ___ ___ 44. I have trouble understanding jokes people tell me.
___ ___ 45. I tend to take things too literally.

Organization

- ___ ___ 46. My notebook/paperwork is messy or disorganized.
___ ___ 47. My room is messy.
___ ___ 48. I tend to shove everything into my backpack, desk or closet.
___ ___ 49. I have multiple piles around my room.
___ ___ 50. I have trouble planning my time.
___ ___ 51. I am frequently late or in a hurry.
___ ___ 52. I often do not write down assignments or tasks and end up forgetting what to do.

Memory

- ___ ___ 53. I have trouble with my memory.
___ ___ 54. I remember things from long ago but not recent events.
___ ___ 55. It is hard for me to memorize things for school or work.
___ ___ 56. I know something one day but do not remember it the next day.
___ ___ 57. I forget what I am going to say right in the middle of saying it.
___ ___ 58. I have trouble following directions that have more than one or two steps.

Social Skills

- ___ ___ 59. I have few or no friends.
___ ___ 60. I have trouble reading the body language or facial expressions of others.
___ ___ 61. My feelings are often or easily hurt.
___ ___ 62. I tend to get into trouble with friends, teachers, parents, or bosses.
___ ___ 63. I feel uncomfortable around people whom I do not know well.
___ ___ 64. I am teased by others.
___ ___ 65. Friends do not call and ask me to do things with them.
___ ___ 66. I do not get together with others outside of school or work.

Scotopic Sensitivity

- ___ ___ 67. I am light sensitive. Bothered by glare, sunlight, headlights or streetlights.
___ ___ 68. I become tired and/or experience headaches, mood changes, feel restless, or have an inability to stay focused with bright or fluorescent lights.
___ ___ 69. I have trouble reading words that are on white, glossy paper.
___ ___ 70. When reading, words or letters shift, shake, blur, move, run together, disappear, or become difficult to perceive.
___ ___ 71. I feel tense, tired, sleepy, or even get headaches with reading.
___ ___ 72. I have problems judging distance and have difficulty with such things as escalators, stairs, ball sports, or driving.

Sensory Integration Issues

- ___ ___ 73. I seem to be more sensitive to the environment than are other people.
___ ___ 74. I am more sensitive to noise than are other people.
___ ___ 75. I am particularly sensitive to touch or very sensitive to certain clothing or tags on the clothing.
___ ___ 76. I have an unusual sensitivity to certain smells.
___ ___ 77. I have an unusual sensitivity to light.
___ ___ 78. I am sensitive to movement or crave spinning activities.
___ ___ 79. I tend to be clumsy or accident-prone.

Female Hormone Health Questionnaire

Please rate yourself on each of the symptoms listed below using the following scale.

0 1 2 3 4 NA
Never Rarely Occasionally Frequently Very Frequently Not Applicable

Thyroid Hormone Imbalance #1

- 1. Have you noticed excessive fatigue or weakness in your body?
- 2. Do you have dry or coarse skin?
- 3. Have you experienced hair loss on your head and body?
- 4. Do you have cold hands and/or feet?
- 5. Have you experienced weight gain?
- 6. Do you have insomnia?
- 7. Do you struggle with constipation?
- 8. Do you feel depressed?
- 9. Do you have a poor memory or forgetfulness?
- 10. Do you feel sluggish?
- 11. Do you have an intolerance to cold weather?
- 12. Do you become out of breath easily?
- 13. Is your voice hoarse?

Thyroid Hormone Imbalance #2

- 1. Do you notice fatigue?
- 2. Do you notice weakness?
- 3. Do you have an intolerance to hot weather?
- 4. Have you experienced unexplained weight loss?
- 5. Do you suffer from insomnia?
- 6. Do you have frequent bowel movements?
- 7. Do you feel nervous?
- 8. Do your hands have a shaky tremor?
- 9. Do you feel heart palpitations (rapid or fluttering heart beat)?
- 10. Do you experience breathlessness?

Adrenal Hormone Imbalance

- 1. Do you feel like you have excessive exhaustion?
- 2. Are you unable to lose gained weight?
- 3. Do you have a low sex drive?
- 4. Do you feel lightheaded shortly after standing up?
- 5. Do you have difficulty getting up in the morning?
- 6. Do you need coffee or other stimulants to get going in the morning?
- 7. Do you crave sugar or salty foods?
- 8. Do you tremble when under pressure?
- 9. Do you have difficulty remembering things?
- 10. Do you feel fatigued in the afternoon between 3 and 5 pm?
- 11. Do you feel suddenly better for a brief period after eating?
- 12. Is it difficult for you to recover after a physical exercise session?
- 13. Are you sensitive to bright lights?
- 14. Do you feel overwhelmed or unable to cope?
- 15. Do you have low blood pressure?

Low Estrogen

- 1. Do you experience hot flashes/hot flushes?
- 2. Do you have night sweats?
- 3. Have you experienced crying spells over things that wouldn't usually make you cry?
- 4. Do you have vaginal dryness or pain during intercourse?
- 5. Do you get frequent bladder infections?
- 6. Do you struggle with recurrent yeast infections?
- 7. Do you have leakage from the bladder when you cough or sneeze?
- 8. Do you wake up often throughout the night?

- 9. Do you experience anxiousness or a rapid heartbeat?
- 10. Have you noticed reduced fullness in your breasts?
- 11. Do you have dry eyes, dry hair, or dry skin?
- 12. Do you have a decreased sense of well-being?

Low Progesterone

- 1. Have you tried unsuccessfully to become pregnant?
- 2. Do you have heavy periods?
- 3. Have you been diagnosed with fibrocystic breasts?
- 4. Are your menstrual cycles irregular?
- 5. Do you experience sudden mood swings?
- 6. Do you pass blood clots during menstruation?
- 7. Do you have painful periods?
- 8. Do you have difficulty concentrating, sometimes called “brain fog?”
- 9. Do you wake up between 3-5am unable to go back to sleep?
- 10. Do you crave sweets?
- 11. Are you tired or have low energy?
- 12. Do you suffer from PMS?
- 13. Do you have painful cramping during your menstrual cycle?

Estrogen Dominance

- 1. Do you have tender breasts?
- 2. Do you experience mood swings?
- 3. Do you retain water (your rings feel tight, ankle swelling)?
- 4. Do you have headaches?
- 5. Do you have a low sex drive?
- 6. Are you irritable?
- 7. Do you suffer from depression?
- 8. Are you unusually bossy?
- 9. Have you increased a breast size?
- 10. Have you been diagnosed with fibrocystic breasts?
- 11. Have you been diagnosed with uterine fibroids?
- 12. Is your face puffy?
- 13. Have you gained weight around the hips and stomach?
- 14. Do you have difficulty reaching orgasm?
- 15. Do you suffer from PMS?
- 16. Do you have heavy periods?

Low Testosterone

- 1. Have you noticed a decrease in your desire to have sex?
- 2. Have you noticed a decrease in your enjoyment of life?
- 3. Do you have a lack of energy?
- 4. Do you have a decreased amount of strength?
- 5. Has your endurance for physical exercise decreased?
- 6. Do you feel depressed?
- 7. Is it difficult for you to reach orgasm?
- 8. Do you feel irritable?
- 9. Do you feel anxious?
- 10. Do you notice a sense of fatigue in your body?
- 11. Have you lost significant muscle mass in your body?
- 12. Have your orgasms become weaker and take longer to achieve?
- 13. Do you find it more difficult to become sexually aroused?

High Testosterone

- 1. Do you have acne as an adult?
- 2. Do you have excessive hair growth on your chin, upper lip, or breast area?
- 3. Do you have unexplained weight gain around the middle that you are unable to lose?
- 4. Do you have male-pattern baldness (i.e. receding hairline or bald spot) ?
- 5. Do you have excessively oily skin or hair?
- 6. Do you have unexplained depression?
- 7. Do you have irregular periods?

- ____ 8. Do you have a loss of sex drive?
____ 9. Do you have an excessive sex drive?

Medical Review

Please place a check mark in the box/boxes that apply (C = Current, P = Past).

General

- | C | P | |
|--------------------------|--------------------------|---------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | Being overweight |
| <input type="checkbox"/> | <input type="checkbox"/> | Weight gain or weight loss |
| <input type="checkbox"/> | <input type="checkbox"/> | Poor appetite |
| <input type="checkbox"/> | <input type="checkbox"/> | Increased appetite |
| <input type="checkbox"/> | <input type="checkbox"/> | Abnormal sensitivity to cold |
| <input type="checkbox"/> | <input type="checkbox"/> | Cold sweats during the day |
| <input type="checkbox"/> | <input type="checkbox"/> | Tired or worn out |
| <input type="checkbox"/> | <input type="checkbox"/> | Hot or cold spells |
| <input type="checkbox"/> | <input type="checkbox"/> | Abnormal sensitivity to heat |
| <input type="checkbox"/> | <input type="checkbox"/> | Excessive sleeping |
| <input type="checkbox"/> | <input type="checkbox"/> | Difficulty sleeping |
| <input type="checkbox"/> | <input type="checkbox"/> | Lowered resistance to infection |
| <input type="checkbox"/> | <input type="checkbox"/> | Flu-like or vague sick feeling |
| <input type="checkbox"/> | <input type="checkbox"/> | Sweating excessively at night |
| <input type="checkbox"/> | <input type="checkbox"/> | Excessive daytime sweating |
| <input type="checkbox"/> | <input type="checkbox"/> | Excessive thirst |
| <input type="checkbox"/> | <input type="checkbox"/> | Other: _____ |

Neurological

- | C | P | |
|--------------------------|--------------------------|-----------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | Pacing due to muscle restlessness |
| <input type="checkbox"/> | <input type="checkbox"/> | Forgotten periods of time |
| <input type="checkbox"/> | <input type="checkbox"/> | Dizziness |
| <input type="checkbox"/> | <input type="checkbox"/> | Drowsiness |
| <input type="checkbox"/> | <input type="checkbox"/> | Muscle spasms or tremors |
| <input type="checkbox"/> | <input type="checkbox"/> | Impaired ability to remember |
| <input type="checkbox"/> | <input type="checkbox"/> | "Tics" |
| <input type="checkbox"/> | <input type="checkbox"/> | Numbness |
| <input type="checkbox"/> | <input type="checkbox"/> | Convulsions/fits |
| <input type="checkbox"/> | <input type="checkbox"/> | Slurred speech |
| <input type="checkbox"/> | <input type="checkbox"/> | Speech problem (other) |
| <input type="checkbox"/> | <input type="checkbox"/> | Weakness in muscles |
| <input type="checkbox"/> | <input type="checkbox"/> | Other: _____ |

Respiratory

- | C | P | |
|--------------------------|--------------------------|------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | Asthma, wheezing |
| <input type="checkbox"/> | <input type="checkbox"/> | Cough |
| <input type="checkbox"/> | <input type="checkbox"/> | Coughing up blood or sputum |
| <input type="checkbox"/> | <input type="checkbox"/> | Shortness of breath |
| <input type="checkbox"/> | <input type="checkbox"/> | Rapid breathing |
| <input type="checkbox"/> | <input type="checkbox"/> | Repeated nose or chest colds |
| <input type="checkbox"/> | <input type="checkbox"/> | Other: _____ |

Chest and Cardiovascular

- | C | P | |
|--------------------------|--------------------------|-----------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | Ankle swelling |
| <input type="checkbox"/> | <input type="checkbox"/> | Rapid/irregular pulse |
| <input type="checkbox"/> | <input type="checkbox"/> | High cholesterol |
| <input type="checkbox"/> | <input type="checkbox"/> | Breast tenderness |
| <input type="checkbox"/> | <input type="checkbox"/> | Chest pain |
| <input type="checkbox"/> | <input type="checkbox"/> | High blood pressure |
| <input type="checkbox"/> | <input type="checkbox"/> | Low blood pressure |
| <input type="checkbox"/> | <input type="checkbox"/> | Stroke |
| <input type="checkbox"/> | <input type="checkbox"/> | Other: _____ |

Head, Eye, Ear, Nose, & Throat

- | C | P | |
|--------------------------|--------------------------|---------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | Facial pain |
| <input type="checkbox"/> | <input type="checkbox"/> | Headache |
| <input type="checkbox"/> | <input type="checkbox"/> | Head injury |
| <input type="checkbox"/> | <input type="checkbox"/> | Neck pain or stiffness |
| <input type="checkbox"/> | <input type="checkbox"/> | Frequent sore throat |
| <input type="checkbox"/> | <input type="checkbox"/> | Blurred vision |
| <input type="checkbox"/> | <input type="checkbox"/> | Double vision |
| <input type="checkbox"/> | <input type="checkbox"/> | Overly sensitive to light |
| <input type="checkbox"/> | <input type="checkbox"/> | See spots or shadows |
| <input type="checkbox"/> | <input type="checkbox"/> | Hearing loss in both ears |
| <input type="checkbox"/> | <input type="checkbox"/> | Ear ringing |
| <input type="checkbox"/> | <input type="checkbox"/> | Chronic ear infections |
| <input type="checkbox"/> | <input type="checkbox"/> | Disturbances in smell |
| <input type="checkbox"/> | <input type="checkbox"/> | Runny nose |
| <input type="checkbox"/> | <input type="checkbox"/> | Dry mouth |
| <input type="checkbox"/> | <input type="checkbox"/> | Sore tongue |
| <input type="checkbox"/> | <input type="checkbox"/> | Other: _____ |

Gastrointestinal and Hepatic

- | C | P | |
|--------------------------|--------------------------|--------------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | Trouble swallowing |
| <input type="checkbox"/> | <input type="checkbox"/> | Nausea or vomiting |
| <input type="checkbox"/> | <input type="checkbox"/> | Abdominal (stomach/belly) pain |
| <input type="checkbox"/> | <input type="checkbox"/> | Anal itching |
| <input type="checkbox"/> | <input type="checkbox"/> | Painful bowel movements |
| <input type="checkbox"/> | <input type="checkbox"/> | Infrequent bowel movements |
| <input type="checkbox"/> | <input type="checkbox"/> | Liquid bowel movements |
| <input type="checkbox"/> | <input type="checkbox"/> | Loss of bowel control |
| <input type="checkbox"/> | <input type="checkbox"/> | Frequent belching or gas |
| <input type="checkbox"/> | <input type="checkbox"/> | Vomiting blood |
| <input type="checkbox"/> | <input type="checkbox"/> | Rectal bleeding (red or black blood) |
| <input type="checkbox"/> | <input type="checkbox"/> | Jaundice (yellowing of skin) |
| <input type="checkbox"/> | <input type="checkbox"/> | Other: _____ |

Musculoskeletal

- | C | P | |
|--------------------------|--------------------------|-------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | Arthritis |
| <input type="checkbox"/> | <input type="checkbox"/> | Back pain or stiffness |
| <input type="checkbox"/> | <input type="checkbox"/> | Bone pain |
| <input type="checkbox"/> | <input type="checkbox"/> | Joint pain or stiffness |
| <input type="checkbox"/> | <input type="checkbox"/> | Leg pain |
| <input type="checkbox"/> | <input type="checkbox"/> | Muscle cramps or pain |
| <input type="checkbox"/> | <input type="checkbox"/> | Other: _____ |

Skin and Hair

- | C | P | |
|--------------------------|--------------------------|------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | Dry hair or skin |
| <input type="checkbox"/> | <input type="checkbox"/> | Itchy skin or scalp |
| <input type="checkbox"/> | <input type="checkbox"/> | Easy bruising |
| <input type="checkbox"/> | <input type="checkbox"/> | Hair loss |
| <input type="checkbox"/> | <input type="checkbox"/> | Increased perspiration |
| <input type="checkbox"/> | <input type="checkbox"/> | Sun sensitivity |
| <input type="checkbox"/> | <input type="checkbox"/> | Other: _____ |

Genitourinary

- | C | P | |
|--------------------------|--------------------------|---|
| <input type="checkbox"/> | <input type="checkbox"/> | Itchy privates or genitals |
| <input type="checkbox"/> | <input type="checkbox"/> | Painful urination |
| <input type="checkbox"/> | <input type="checkbox"/> | Excessive urination |
| <input type="checkbox"/> | <input type="checkbox"/> | Difficulty in starting urine |
| <input type="checkbox"/> | <input type="checkbox"/> | Accidental wetting of self |
| <input type="checkbox"/> | <input type="checkbox"/> | Pus or blood in urine |
| <input type="checkbox"/> | <input type="checkbox"/> | Decreased sexual desire |
| <input type="checkbox"/> | <input type="checkbox"/> | Sexually transmitted disease |
| <input type="checkbox"/> | <input type="checkbox"/> | No menses |
| <input type="checkbox"/> | <input type="checkbox"/> | Menstrual irregularity |
| <input type="checkbox"/> | <input type="checkbox"/> | Painful or heavy periods |
| <input type="checkbox"/> | <input type="checkbox"/> | Premenstrual moodiness, irritability, anger, tension, bloating, breast tenderness, cramps, and headache |
| <input type="checkbox"/> | <input type="checkbox"/> | Painful intercourse or sex |
| <input type="checkbox"/> | <input type="checkbox"/> | Sterility/infertility |
| <input type="checkbox"/> | <input type="checkbox"/> | Abnormal vaginal discharge |
| <input type="checkbox"/> | <input type="checkbox"/> | Other: _____ |

Surgical Procedures

- | | |
|--------------------------|-------------------------|
| <input type="checkbox"/> | Tonsillectomy |
| <input type="checkbox"/> | Adenoidectomy |
| <input type="checkbox"/> | Myringotomy (ear tubes) |
| <input type="checkbox"/> | Appendectomy |
| <input type="checkbox"/> | Hernia repair |
| <input type="checkbox"/> | Other: _____ |

Illnesses

- | C | P | |
|--------------------------|--------------------------|--------------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | Pneumonia |
| <input type="checkbox"/> | <input type="checkbox"/> | Hypothyroidism |
| <input type="checkbox"/> | <input type="checkbox"/> | Hyperthyroidism |
| <input type="checkbox"/> | <input type="checkbox"/> | Chronic Fatigue Syndrome |
| <input type="checkbox"/> | <input type="checkbox"/> | Fibromyalgia |
| <input type="checkbox"/> | <input type="checkbox"/> | Encephalitis |
| <input type="checkbox"/> | <input type="checkbox"/> | Meningitis |
| <input type="checkbox"/> | <input type="checkbox"/> | Lyme Disease |
| <input type="checkbox"/> | <input type="checkbox"/> | Lupus |
| <input type="checkbox"/> | <input type="checkbox"/> | Epstein - Barr virus (Mononucleosis) |
| <input type="checkbox"/> | <input type="checkbox"/> | Fevers over 105° |
| <input type="checkbox"/> | <input type="checkbox"/> | Autoimmune Disorder |
| <input type="checkbox"/> | <input type="checkbox"/> | Other: _____ |

Neuropsychiatric Symptom Checklist

Please review the table of symptoms below and place a check in the appropriate box if you or any of your biological family members have had the problems listed.

Problem Areas	Self	Mother	Father	Brother	Sister	Your Children	Other Relatives
Anxiety							
Panic Attacks							
Phobias							
Depression							
Seasonal Mood Changes (SAD)							
Elevated Mood							
Bipolar Illness							
Mania							
Irritability							
Hot Temper							
Self Mutilation							
Suicide Attempts							
Psychiatric Hospitalization							
Social Isolation							
Hallucinations							
Schizophrenia							
Psychosis							
Paranoia							
Delusions							
Dissociative States							
Grief							
ADHD (attention deficit disorder)							
Concentration Difficulties							
Attention Difficulties							
Hyperactivity							
Intolerance of Boredom							
Learning/School Difficulties							
Juvenile Delinquency							
Defiant Behavior							
Fire Setting							
Bedwetting							
Cruelty to Animals							
Legal Troubles							
Anger or Rage Problems							
Obsessions or Compulsions							
Anorexia Nervosa							

Problem Areas	Self	Mother	Father	Brother	Sister	Your Children	Other Relatives
Bulimia (binging and purging)							
Laxative/Diuretic Abuse							
Alcohol Abuse							
Drug/substance abuse							
Head injury							
Concussion							
Tourette's Syndrome							
Amnesia							
Dementia							
Narcolepsy							
Irresistible sleep attacks							
Sleep apnea							
Heavy snoring during sleep							
Hallucinations going to sleep							
Hallucinations when awakening							
Restless legs during sleep							
Night Terrors							
Sleepwalking							
Sexual Difficulties							
Sexual Abuse Victim							
Sexual Abuse Perpetrator							
Physical Abuse Victim							
Physical Abuse Perpetrator							
Mental Retardation							
Autism							
Asperger's Disorder							
Pervasive Developmental D/O							
Sensitivity to Light							
Sensitivity to Odors							
Sensitivity to Sounds							
Sensitivity to Touch							

Amen Clinic Brain SPECT Informed Consent Form

What is Brain SPECT Imaging? Brain SPECT imaging is a nuclear medicine procedure that uses very small doses of a radioactive substance by intravenous injection that will give you and your doctor information on the cerebral blood flow and activity patterns of your brain.

What is the purpose of the Brain SPECT Imaging Procedure? This clinic and other clinics around the country have correlated certain mental and behavioral states with certain SPECT patterns. The information from the SPECT studies will help you and your doctor understand your specific brain patterns, which may further help in your evaluation and treatment.

Will the SPECT study give me an accurate diagnosis? No. A SPECT study by itself will not give a diagnosis. SPECT imaging helps the clinician understand more about the specific function of your brain. Each person's brain is unique which may lead to unique responses to medicine or therapy. Diagnoses about specific conditions are made through a combination of clinical history, personal interview, information from families, checklists, SPECT studies and other neuropsychological tests. No study by itself is a "doctor in a box" that can give accurate diagnoses on individual patients.

Why are SPECT studies ordered? Some of the common reasons include:

1. Evaluating suspected seizure activity
2. Evaluating suspected cerebral vascular disease
3. Evaluating cognitive decline and suspected dementia or other memory problems
4. Evaluating the effects of mild, moderate and severe head trauma
5. Evaluating the presence of a suspected underlying organic brain condition, such as seizure activity, that contributes to behavioral or emotional disturbance
6. Evaluating aggressive or suicidal behavior
7. Evaluating the extent of brain impairment caused by drug or alcohol abuse or other toxic exposure
8. Subtyping the physiology underlying mood disorders, anxiety disorders, or attention deficit disorders
9. Evaluating atypical, unresponsive or mixed psychiatric condition
10. Following up to evaluate the physiological effects of treatment
11. General brain health check up

Do I need to be off medication before the study? This question must be answered individually between you and your doctor. In general, it is better to be off medications until they are out of your system, but this is not always practical or advisable. If the study is done while on medication make sure to note it on the appropriate forms. In general, we recommend patients try to be off stimulants at least four days before the first scan and remain off of them until after the second scan is done (if you are having two scans). Medications such as Prozac (which lasts in the body 4-6 weeks) are generally not stopped because of practicality. Check with your specific doctor for recommendations.

What should I do the day of the scan? On the day of the scan eliminate your caffeine intake and try to not take cold medication or aspirin (if you do please write it down on the intake form). Eat as you normally would.

Are there any side effects or risks to the study? The study does not involve a dye and people do not have allergic reactions to the study. The possibility exists, although in a very small percentage of patients, of a mild rash, facial redness and edema, fever and a transient increase in blood pressure. The amount of radiation exposure from one brain SPECT study is approximately 2/3rd of a head CT scan. Rarely, patients have reported green urine after the procedure for a day or two.

How is the SPECT procedure done? The evaluation typically consists of two scans that are performed at least 24 hours apart. Usually, the concentration scan is performed first. The imaging agent is injected through a small intravenous (IV) tube in the arm and the patient is given a task which requires prolonged concentration. On the next scheduled day the resting scan is obtained. During this scan, the patient is placed in a quiet room and the imaging agent is once again started through a small intravenous (IV) tube. During this scan, the patient is asked to relax and allow their mind to wander while they remain quiet for approximately 15 minutes. For both scans, following the injection, the patient lies on a table and the SPECT camera rotates around his/her head (the patient does not go into a tube). The time on the table varies from 15-30 minutes. The study is then read within the next few days. Pictures are made available to the patient's treatment professionals. Please ensure you have a follow-up appointment with a physician to go over the results of the study.

Are there alternatives to having a SPECT study? In our opinion, SPECT is the most clinically useful study of brain function for the indications listed above. There are other studies, such as electroencephalograms (EEGs), Positron Emission Tomography (PET) studies and functional MRIs (fMRI). PET studies and fMRI are considerably more costly and they are performed mostly in research settings. EEGs, in our opinion, do not provide enough information about the deep structures of the brain to be as helpful as SPECT studies.

Do I have to have the SPECT study performed at the Amen Clinic? No. SPECT studies may be performed at other clinics. The patient may choose any other facility for this study or any other study or service recommended by our clinic. However, many doctors and patients utilize our services because Dr. Amen has 20 years of experience performing and interpreting over 64,000 SPECT studies for these indications.

Does insurance cover the cost of SPECT studies? Reimbursement by insurance companies varies according to your plan. It is often a good idea to check with the insurance company to see if it is a covered benefit.

Is the use of brain SPECT imaging accepted in the medical community? Brain SPECT studies are widely recognized as an effective tool for evaluating brain function in seizures, strokes, dementia and head trauma. There are literally thousands of research articles on these topics. In our clinic, based on our sixteen years of experience, we have developed this technology further to evaluate neuropsychiatric conditions. Unfortunately, many physicians do not fully understand the application of SPECT imaging and may tell you that the technology is experimental, but over 2,000 physicians and mental health professionals from across the United States have referred patients to us for scans.

Who owns Amen Clinics, Inc? Dr. Amen is the sole owner of the Amen Clinics. The other staff members who work with Dr. Amen are either employees or independent contractors.